


SERIES 60 WaterMax

Bypass


When the by-pass is engaged
no water flow is available through
the appliance.



SERIES 60 WaterMax

1. Home / Service

Service position 1 provides conditioned water for household use.





SERIES 60 WaterMax

2. Brine Refill 2

(Absolute brining, mode 2 only)


Prefills brine cabinet with the correct balance of water to dissolve required amount of salt for capacity used, less unused reserve capacity.



SERIES 60 WaterMax

3. Pause


Appliance is still in service.
The Pause position holds for 2 hours while salt dissolves to ensure proper brine concentration.



SERIES 60 WaterMax


4. Backwash 1

Backwashes the media compartments to remove accumulated sediments.



- Hard Water
- Soft Water
- Brine Water


Disk Position



SERIES 60 WaterMax

5. Brine / Rinse


Counter current regeneration forces brine upward through the resin from the bottom of the tank. The first 1/3 of this cycle is used for brine draw. The balance of the cycle (2/3) is used as a slow rinse to remove remaining brine solution.



SERIES 60 WaterMax

6. Backwash 2

Backwashes media compartments to remove any brine traces as the final cleaning step.



SERIES 60 WaterMax

7. Brine Refill 1

Soft water refill replaces the proper amount of water to make brine for the next regeneration sequence. **Note:** Mode 2 only, the refill cycle will replace one half of the water required for the selected salt setting. (See Brine Refill #2)

